

BA -SM-MP

Mounting profiles | Accessories for LED Modules for advertising and backlighting



Areas of application

- Advertising and lettering
- Backlighting of single and double-sided light boxes

Product benefits

- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile

Product features

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,000 mm

Product datasheet

Technical data

Dimensions & weight






Height	7.0 mm
Length	2000 mm
Width	14.5 mm

Equipment / Accessories

- BA-MP suitable for BackLED L, BoxLED XS
- BA-SM-MP suitable for BackLED S/M

Download Data

File
 CAD data 652650_CAD Daten MS Plus G15 mounting profile_IGS
 CAD data 652651_CAD Daten MS Plus G15 mounting profile_STEP
 CAD data PDF 652657_CAD Daten MS Plus G15 mounting profile_pdf

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899264540	BA -SM-MP	Shipping carton box 24	2020 mm x 64 mm x 43 mm	5.56 dm ³	4536.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.